AMENDMENTS TO THE SPECIFICATION

Please amend the paragraph beginning on page 19, line 19, bridging page 20, line 7 as follows:

Examples of the compound represented by formula (1) include 8hydroxycarbonyltetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, 5,6-dicarboxybicyclo[2.2.1]hept-2-ene, 8-carboxytetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, 5hydroxycarbonylbicyclo[2.2.1]hept-2-ene, 5,6-dihydroxycarbonylbicyclo-[2.2.1]hept-2-ene, 5-methyl-5-hydroxycarbonylbicyclo[2.2.1]hept-2-ene, 5-carboxymethyl-5hydroxycarbonylbicyclo[2.2.1]hept-2-ene, 8,9-dihydroxycarbonyltetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, 8-methyl-8hydroxycarbonyltetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, 8-methyl-8,9dihydroxycarbonyltetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, 8-carboxy- methyl-8hydroxycarbonyltetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, 11hydroxycarbonylhexacyclo[6.6.1.1^{3,6}.1^{10,13}.0^{2,7}.0^{9,14}]heptadeca-4-ene, 11,12 $dihvdroxvcarbonvlhexacvclo[6.6.1.1^{3,6}.1^{10,13}.0^{2,7}.0^{9,14}]heptadeca-4-ene.$ 11-methvl-11-hvdroxycarbonylhexacyclo[6.6.1.1^{3.6}.1^{10.13}.0^{2.7}.0^{9.14}]-heptadeca-4-ene 11methyl-11-hydroxycarbonylhexacyclo $[6.6.1.1^{3,6}.1^{10,13}.0^{2,7}.0^{9,14}]$ - heptadeca-4-ene and 11-carboxymethyl-11-hydroxycarbonylhexacyclo- $\textcolor{red}{\textbf{[6.6.1.1]}} \textcolor{red}{\textbf{3.6.1}} \textcolor{blue}{\textbf{10.13.0}} \textcolor{blue}{\textbf{0.2.7.0}} \textcolor{blue}{\textbf{0.9.14}} \textcolor{blue}{\textbf{heptadeca-4-ene}} \ \textcolor{red}{\textbf{11-carboxymethyl-11-}}$ hydroxycarbonylhexacyclo- $[6.6.1.1^{3,6}.1^{10,13}.0^{2,7}.0^{9,14}]$ heptadeca-4-ene.

Please amend the paragraph beginning on page 20, line 16, bridging page 21, line 12 as follows:

Examples of the monomer providing a monomer unit derived from an alicyclic olefin

Docket No.: 4918-0102PUS1

monomer having no polar groups include bicyclo[2.2.1]- hept-2-ene [also known as (a.k.a.) norbornene], 5-ethylbicyclo[2.2.1]hept-2-ene, 5-butylbicyclo[2.2.1]hept-2-ene, 5-ethylidenebicyclo[2.2.1]hept-2-ene, 5-vinylbicyclo[2.2.1]hept-2-ene, tricyclo[4.3.0.1^{2,5}]deca-3,7-diene (a.k.a. dicyclopentadiene), tetracyclo- [7.4.0.1^{10,13}.0^{2,7}]trideca-2,4,6,11-tetraene (a.k.a. 1,4-methano-1,4,4a,9a-tetrahydrofluorene), tetracyclo[8.4.0.1^{11,14}.0^{2,8}]tetradeca-3,5,7,12-11- tetraene, tetracyclo[4.4.0.1^{2,5}.1^{7,10}]deca-3-ene (a.k.a. tetracyclododecene), 8-methyltetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, 8-ethyltetracyclo- [4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, 8-methylidenetetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, 8-vinyl-tetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, 8-propenyltetracyclo- [4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, pentacyclo- [6.5.1.1^{3,6}.0^{2,7}.0^{9,13}]pentadeca-3,10-diene, pentacyclo[7.4.0.1^{3,6}.1^{10,13}.0^{2,7}]pentadeca-4,11-diene, cyclobutene, cyclopentene, cyclohexene, 3,4-dimthylcyclopentene, 3-methylcyclohexene, 2-(2-methylbutyl)-1-cyclohexene, cyclooctene, 3a,5,6,7a-tetrahydro-4,7-methano-1H-indene,

cycloheptene, vinyl- cyclohexene, vinylcyclohexane, cyclopentadiene, cyclohexadiene, 5-

phenylbicyclo[2.2.1]hept-2-ene, 1,4-methano-1,4,4a,5,10,10a-hexahydro- anthracene, 5-

phenylbicyclo[2.2.1]hept-2-ene, tetracyclo[6.6.0.1^{2,5}.1^{8,13}] tetradeca-3.,10,12 tetraene and 8-

phenyltetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene. tetracyclo[6.6.0.1^{2,5}.1^{8,13}]- tetradeca-3.10.12-

Please amend the paragraph on page 21, lines 13-21 as follows:

tetraene and 8-phenyltetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca- 3-ene.

As the alicyclic olefin monomer having no aromatic groups but having an aprotic polar group, 8-methyl-8-methoxycarbonyltetracyclo- [4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene, bicyclo[2.2.1]hept-2-ene-5,6-dicarboxylic acid anhydride, tetracyclo[4.4.0.1^{2,5}.1^{7,10}]dodeca-3-ene-8,9-dicarboxylic acid anhydride, hexacyclo[6.6.1.1^{3,6}.1^{10,13}.0^{2,7}.0^{9,14}]heptadeca-4-ene-

Docket No.: 4918-0102PUS1

11,12 dicarboxylie hexacyclo[6.6.1.1^{3,6}.1^{10,13}.0^{2,7}.0^{9,14}]heptadeca-4-ene- 11,12-dicarboxylic acid anhydride, 5-methoxycarbonylbicyclo[2.2.1]hept-2-ene, 5-cyanobicyclo[2.2.1]hept-2-ene and 5-methyl-5-methoxycarbonyl- bicyclo[2.2.1]hept-2-ene can be used.